



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/550,941

09/28/2005

Bjorn Landfeldt

P17716-US2

4612

27045

7590

07/27/2009

ERICSSON INC.
6300 LEGACY DRIVE
M/S EVR 1-C-11
PLANO, TX 75024

EXAMINER

EMDADI, KEYVAN

ART UNIT

PAPER NUMBER

2448

MAIL DATE

DELIVERY MODE

07/27/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/550,941	Applicant(s) LANDFELDT ET AL.	
	Examiner KEYVAN EMDADI	Art Unit 2448	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 May 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This is responsive to the communication filed on 5/1/2009. Claims 1-24 represented "method and system for centrally allocating addresses and port numbers"
2. Claim 24 is amended.
3. Claims 1-24 are rejected.

Drawings

4. Drawings filed on 8/8/2003 have been acknowledged by the examiner.

Information Disclosure Statement

5. The information disclosure statement (IDS) submitted on 9/28/2005 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner

Claim Rejections – 35 USC 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –
(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claims 1-3,7-11,15,16-17,19-20,23 are rejected under 35 U.S.C. 102(b) as being anticipated by Johnson et al. (US Pub. No. US2003/0084162 A1).

As per claim 1: Johnson discloses:

- A method for enabling establishment of a connection between a node of an inside address realm and a node of an outside address realm through an intermediate communication gateway having a pool of outside-realm gateway addresses for outside- realm representation of inside-realm nodes, said method comprising the steps of:

- centrally allocating, in response to a configuration request initiated from said inside-realm node, an outside-realm gateway address from said pool of gateway addresses and an inside node port number for said inside-realm node,

(Johnson, Paragraph 23, lines 2-6, Paragraphs 70-71, and figures 3,6) a centrally allocated table of addresses and pathway connection information provides addresses and port connection information in response to a node configuration request from an inside realm node.

- wherein said step of centrally allocating comprises the step of identifying, based on predetermined connection information derivable from said configuration request, an outside-realm gateway address and an inside node port number that in combination with said predetermined connection information define an outside-realm gateway state representation that has no counterpart in any existing gateway connection state;

(Johnson, Paragraph 23, lines 2-6, Paragraphs 70-71, and figures 3,6) a centrally allocated table contains predetermined connection information that is received by a source device that initiates a connection request.

- **initiating establishment of said connection at least partly based on the allocated outside-realm gateway address and inside node port number,**

(Johnson, Paragraph 23, lines 2-6, Paragraphs 70-71, and figure 6) a source device initiates a connection with a device on a different realm using the connection information stored on an available table, including communication pathways to the device on the other realm and the devices address.

- **and transmitting the allocated outside-realm gateway address and inside node port number to the requesting inside-realm node in a configuration reply.**

(Johnson, Paragraph 23, lines 4-8) the connection procedure communicates address information to the source device.

As per claim 2: Johnson discloses:

- **The method according to claim 1, wherein said predetermined connection information includes at least one of outside node address information and outside node port information.** (Johnson, Paragraph 23, lines 2-5, Paragraphs 70-71, and figure 6) the described table contains addresses and ports in the global address list that are for outside nodes.

As per claim 3 Johnson discloses:

- **The method according to claim 1, wherein a gateway connection state is established in said gateway based on said outside-realm gateway state representation and a representation of an inside-realm routing path between said gateway and said inside-realm node.** (Johnson, Paragraph 23, lines 2-5) device connection states are centrally allocated on a table that contains their state representation and associated communication pathways.

As per claim 7 Johnson discloses:

- The method according to claim 1, further comprising the step of said inside-realm node configuring a communication interface according to said allocated outside-realm gateway address and inside node port number.

(Johnson, Paragraph 2, lines 9-12) port address translation is described where the gateway maps one of its outside-realm ports containing an outside-realm address to an inside node port.

As per claim 8 Johnson discloses:

- The method according to claim 1, further comprising the step of establishing an inside-realm routing path between said gateway and said inside-realm node. (Johnson, Paragraph 2, lines 9-12) port address translation is described where the gateway maps one of its ports to an inside realm node thereby establishing an inside realm routing path between itself and the node.

As per the system claims 9-11,15, these do not teach or define any new limitations above method claims 1-3, 8 and are rejected for similar reasons.

As per claim 16 Johnson discloses:

- A gateway resource manager for a communication gateway, said communication gateway having a pool of outside-realm gateway addresses for outside-realm representation of inside-realm nodes, said gateway resource manager comprising:

- means for allocating an outside-realm gateway address from said pool of gateway addresses and an inside node port number to be used in establishing a gateway connection state for a flow between an inside-realm node and an outside-realm node,

(Johnson, Paragraphs 54 and 55, Fig. 2) the address server communicates the private devices public address and private port to the outside device which is used to establish a peer to peer connection between a public device and private device.

- wherein said allocating means comprises means for identifying, based on predetermined connection information, an outside-realm gateway address and an inside node port number that in combination with said predetermined connection information define an outside-realm gateway state representation that has no counterpart in any existing gateway connection state;

(Johnson, Paragraphs 54 and 55, Fig. 2) the address server communicates the private devices public address and private port to the outside device which is used to establish a peer to peer connection between a public device and private device. The address server communicates a private devices connection information from the device access mapping table to said private device. The private device then communicates this pre-determined information to other devices.

- means for initiating establishment of said gateway connection state at least partly based on the allocated outside-realm gateway address and inside node port number;

(Johnson, Paragraphs 54 and 55, Fig. 2) the address server communicates the private devices public address and private port to the outside device which is used to establish a peer to peer connection between a public device and private device. The private device in this context would be the gateway.

- and means for transmitting the allocated outside-realm gateway address and inside node port number to said inside-realm node.

(Johnson, Paragraphs 54 and 55, Fig. 2) the address server communicates the private devices (the outside realm gateways) public address and private port to the outside device.

As per claim 17, it does not teach or define any new limitations above claim 2 and is rejected for similar reasons.

As per claim 19 Johnson discloses:

- The gateway resource manager according to claim 16, wherein said means for initiating establishment of said gateway connection state comprises means for requesting that said gateway establishes a gateway connection state based on said outside-realm gateway state representation and a representation of an inside-realm routing path between said gateway and said inside-realm node.

(Johnson, Paragraphs 44 lines 1-5, Paragraph 45 lines 1-4 and Paragraph 47 lines 1-3, and Fig. 1) the address server (gateway resource manager) receives a datagram from a private device causing a route to be created on the NAT table for the said device. The address server responds to the initial datagram by creating a corresponding entry into the access mapping table which is on the outside realm. The address server contains stored access information and routing paths to private devices on the inside realm.

As per claim 20 Johnson discloses:

- The gateway resource manager according to claim 16, wherein said allocating means performs allocation in response to a configuration request initiated from said inside-realm node, and said transmitting means transmits the allocated outside-realm gateway address and inside node port number to said inside-realm node in a configuration reply.

(Johnson, Paragraph 66 lines 1-10, and Fig. 1) the address server (gateway resource manager) responds to determining that the datagram message is not represented in the device access mapping table. The server creates an entry in the mapping table that includes the private devices private address, the private devices private port, and the public address of the gateway.

As per claim 23 Johnson discloses:

- A method of configuring an inside-realm communication node for communication with an outside-realm communication node via a

communication gateway having a pool of outside-realm gateway addresses for outside-realm representation of inside-realm nodes, said method comprising the steps of:

- centrally allocating an outside-realm gateway address from said pool of gateway addresses and an inside node port number for said inside-realm node,**

(Johnson, Paragraph 23, lines 2-6, Paragraphs 70-71, and figures 3,6) a centrally allocated table of addresses and pathway connection information provides addresses and port connection information in response to a node configuration request from an inside realm node.

- wherein said step of centrally allocating comprises the step of identifying, based on predetermined connection information, an outside-realm gateway address and an inside node port number that in combination with said predetermined connection information define an outside-realm gateway state representation that has no counterpart in any existing gateway connection state;**

(Johnson, Paragraph 23, lines 2-6, Paragraphs 70-71, and figures 3,6) a centrally allocated table contains predetermined connection information that is received by a source device that initiates a connection request.

- transmitting the allocated outside-realm gateway address and inside node port number to said inside-realm node; and**

(Johnson, Paragraph 23, lines 2-6, Paragraphs 70-71, and figure 6) a source device initiates a connection with a device on a different realm using the connection information stored on an available table, including communication pathways to the device on the other realm and the devices address. The required connection information for the connection is transmitted to the source device node that requested the connection.

- configuring said inside-realm communication node according to the allocated outside-realm gateway address and inside node port number.**

Art Unit: 2448

(Johnson, Paragraph 23, lines 4-8, and paragraph 54) the connection procedure communicates address information to the source device. The address server communicates a private devices outside realm gateway address and inside port number, to an outside device. The gateway address and inside port number are then configured to establish a peer to peer connection.

Claim Rejections – 35 USC 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claims 4-6, 12, 13, 14, 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Johnson et al. (US Pub. No. US2003/0084162 A1) in view of Alkhatib (Pub no. US 2002/0184390 A1).

As per claim 4 claim 1 is incorporated, Johnson does not specifically teach wherein the allocated outside-realm gateway address and inside node port number are represented by an allocated socket network address and a source port number, and the predetermined connection information includes a destination network address and a destination port number, and the outside- realm gateway state representation is defined by a unique set of socket parameters including the allocated socket network address and source port number, the destination network address and the destination port number. However Alkhatib discloses the claim limitation wherein the allocated outside-realm gateway address and inside node port number are

represented by an allocated socket network address and a source port number, and the predetermined connection information includes a destination network address and a destination port number, and the outside- realm gateway state representation is defined by a unique set of socket parameters including the allocated socket network address and source port number, the destination network address and the destination port number (Alkhatib paragraph 45 10-14) socket addresses are used to make a connection.

It would have been obvious to one skilled in the art at the time of invention to incorporate the capability to represent socket network addresses and port numbers into the invention described by Johnson to have the flexibility to use sockets to represent ports and network addresses.

As per claim 5 claim 1 is incorporated Johnson does not specifically teach wherein said configuration reply is a DNS (Domain Name Server) reply.

However Alkhatib discloses the claim limitation **wherein said configuration reply is a DNS (Domain Name Server) reply.** (Alkhatib paragraph 45 10-14) the operating system receives a reply from a DNS server.

It would have been obvious to one skilled in the art at the time of invention to incorporate the DNS server into the invention described by Johnson to have the flexibility to have a DNS server in the network.

As per claim 6 claim 5 is incorporated but Johnson does not specifically teach wherein said allocated outside-realm gateway address and inside node port number are conveyed in a dedicated DNS record in said DNS reply. However Alkhatib discloses the claim limitation **wherein said allocated outside-realm gateway address and inside node port number are conveyed in a dedicated DNS record in said DNS reply.** (Alkhatib paragraph 45, lines 21-26) the operating system retrieves a domain name from a DNS server through

reverse DNS lookup, the TRACERT command can easily be used to determine the gateway(s) and nodes once the domain is retrieved.

It would have been obvious to one skilled in the art at the time of invention to incorporate the DNS reply that enables the determination of the gateway(s) and node information into the invention described by Johnson to gain the benefit of having access to said information.

As per the system claims 12-14, these do not teach or define any new limitations above method claims 4-6 and are rejected for similar reasons.

As per claim 18, it does not teach or define any new limitations above claim 4 and is rejected for similar reasons.

As per claim 21-22 they do not teach or define any new limitations above claims 5-6 and is rejected for similar reasons.

As per claim 24 Johnson discloses:

- An inside-realm communication terminal arranged for communication with any of a number of outside-realm hosts via a communication gateway having a pool of outside-realm gateway addresses for enabling outside-realm representation of inside-realm communication terminals, said communication terminal comprising:

- means for configuring a communication interface according to said outside- realm gateway address and said terminal port number.

(Johnson, Paragraphs 54 lines 4-9, Fig. 2) the user interface terminal can be used to view and configure host information via the global address list "pool". This would be accomplished using the outside-realm gateway address and to access the appropriate device.

Therefor, it would have been obvious to one skilled in the art at the time of invention to incorporate this capability into the invention described

Art Unit: 2448

by Johnson in to gain the ability to configure a communication interface according to outside- realm gateway address and terminal port numbers.

- means for requesting, central configuration for communication with a selected one of said outside-realm hosts; means for receiving a configuration reply including an allocated outside-realm gateway address and an allocated terminal port number, said allocated outside-realm gateway address and said allocated terminal port number.

(Johnson, Paragraph 23, lines 2-6, Paragraphs 70-71, and figures 3,6) a centrally allocated table of addresses and pathway connection information provides addresses and port connection information in response to a node configuration request from an inside realm node. The procedure receives a communication request, and communicates a global address list to the requesting device thereby allowing the first device to establish a connection with an outside realm host.

Therefor, it would have been obvious to one skilled in the art at the time of invention to combine this central configuration for communication with an outside realm host into invention described by Johnson in to gain the ability to centrally configure and communicate with hosts.

However, Johnson does not specifically teach:

- in a modified DNS (Domain Name Server) query...DNS...being arranged in a dedicated DNS record in said configuration reply.

However Alkhatib discloses the claim limitations:

- in a modified DNS (Domain Name Server) query...DNS...being arranged in a dedicated DNS record in said configuration reply.

(Alkhatib paragraph 61) requests queries are made of the described DNS server.

Therefor, it would have been obvious to one skilled in the art to combine this DNS query type configuration request capability into the

invention described by Johnson in to gain the ability to perform configurations via a DNS query.

Response to Arguments

10. Applicants arguments, filed 5/1/2009 with respect to the 35 U.S.C. 102(b) rejections have been fully considered, but they are not persuasive. The applicant argues in substance:

Johnson (paragraphs 23, 70-71) only shows an address translation table and fails to disclose or suggest the claimed invention.

The examiner respectfully disagrees, for further clarification and along the same lines of rejection; the examiner cites Johnson (paragraphs 45 and 46, Fig. 3):

Responsive to a request from a private device, the name/address server creates a corresponding entry that provides a pathway for the private device to communicate with an outside device. This entry includes a private network address, a private port number, a public address, and a public port number. There is no mention in this art of an outside-realm gateway state representation that has a counterpart in any existing gateway connection state, as stated in claim 1 of the application. The examiner therefor believes this portion of claim 1 to be met.

The examiner therefor upholds that the rejections of claim 1 and its dependants.

11. Applicants arguments, filed 5/1/2009 with respect to the 35 U.S.C. 103(a) rejections have been fully considered, but they are not persuasive. The applicant argues in substance:

The secondary art Alkhatib fails to cure the previously mentioned rejection deficiencies of claim 1 and the combination of Johnson and Alkhatib fails to establish a prima facie case of obviousness with respect to claims 1, 9, and their dependants.

The examiner respectfully disagrees, since the rejection of claim 1 is upheld as previously discussed, the rejections of the dependants are also upheld.

Conclusion

12. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KEYVAN EMDADI whose telephone number is (571)270-7320. The examiner can normally be reached on Monday-Thursday 7:30AM to 5:30PM EST, Alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Firmin Backer can be reached on 571-272-6703.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-6703.

Art Unit: 2448

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/KEYVAN EMDADI/

Examiner, Art Unit 2448

Date: July 20, 2009

/FIRMIN BACKER/

Supervisory Patent Examiner, Art Unit 2448